



<b>Ruwhout</b>	<b>B</b>	<b>D</b>	<b>300</b>	<b>360</b>	<b>390</b>	<b>420</b>	<b>450</b>	<b>480</b>	<b>510</b>	<b>540</b>	<b>570</b>	<b>600</b>		
Ruwhout, 022x100, Vuren, C, Ruw	22	100	13081		5569	1030	6380	3427		1355	27			



<b>Geschaafd</b>	<b>B</b>	<b>D</b>	<b>270</b>	<b>300</b>	<b>330</b>	<b>360</b>	<b>390</b>	<b>420</b>	<b>450</b>	<b>480</b>	<b>510</b>	<b>540</b>	<b>570</b>	<b>600</b>
Vuren C 21.5x48 geëgliseerd en gebost	22	50		70		3197	4897		192	978	1640	941		
Geschaafd, 022x050, Vuren, Ventilatielat gewolman...	22	50			745		111	1559						
Vuren C geschaafd circa 30x45mm	32	50		123		301		522		830	1217	365		
Vuren ventilatielat 28x45 mm hoh 400mm 7x40 gewo...	32	50					4			3369				
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1358		770			
Vuren C24 geschaafd circa 30x170mm	32	175				111	171	227	178	136	82			
Vuren C24 geschaafd circa 30x195mm	32	200				62	236	153	398	50	11	33		
Vuren C24 geschaafd circa 30x220mm	32	225				5			54	143	216	229		
Vuren C24 geschaafd circa 30x245mm	32	250					25	157	126	249	277	126		
Vuren C24 geschaafd circa 38x089mm	38	89		35	140	607	653	329	678	813	1565	1977	74	
Vuren C24 geschaafd circa 38x120mm	38	120		51	7		133	359	382	567	100	581	48	735
Vuren C24 geschaafd circa 38x140mm	38	140	82	165		160	136	295	358	619	77	258	8	76
Vuren C24 geschaafd circa 38x170mm	38	170				16		4		73				1279
Vuren C24 geschaafd circa 36x170mm	38	175				11	23	223	198	174	224	124		
Vuren C24 geschaafd circa 38x184mm	38	184			216	703	163	332	162	214	540	794	3	
Vuren C24 geschaafd circa 36x195mm	38	200						119	124	97	159	112		
Vuren C24 geschaafd circa 36x220mm	38	225			18	239	298	363	188	183	140			
Vuren C24 geschaafd circa 38x235mm	38	235					3		46		9			
Vuren C24 geschaafd circa 36x245mm	38	250				9	2	2	4	344	58	14		
Geschaafd, 038X275, Vuren, C24	38	275										346		
Vuren 47x125mm C24 geschaafd op 44x120mm hakregel	47	125									9			
Geschaafd, 075X125, Vuren, C, Ronde Muurplaat	75	125									14		48	
Geschaafd, 075X150, Vuren, C, Ronde Muurplaat	75	150									98			
Geschaafd, 075X200, Vuren, C, Ronde Muurplaat	75	200									150			

<b>Gevingerlast</b>	<b>B</b>	<b>D</b>	<b>540</b>	<b>570</b>	<b>600</b>	<b>660</b>	<b>700</b>	<b>750</b>	<b>800</b>	<b>900</b>	<b>1000</b>			
Gevingerlast KOMO C24, geschaafd op circa 30x170mm	32	175		96	105	157		193		9				
Gevingerlast KOMO C24, geschaafd op circa 30x195mm	32	200		117	82	100		31		26				
Gevingerlast KOMO C24, geschaafd op circa 30x220mm	32	225		247	55	138		83		37	70			
Gevingerlast KOMO C24, geschaafd op circa 30x245mm	32	250		300	327	122		130		1	52			
Gevingerlast KOMO C24, geschaafd op circa 30x270mm	32	275		138	9					79				
Gevingerlast KOMO C24, geschaafd op circa 38x170mm	38	170		12		44				54				
Gevingerlast KOMO C24, geschaafd op circa 36x170mm	38	175		27	118	102		146		155				
Gevingerlast KOMO C24, geschaafd op circa 38x184mm	38	184		413	673	353		337		366				
Gevingerlast KOMO C24, geschaafd op circa 36x195mm	38	200			22	28				3				
Gevingerlast KOMO C24, geschaafd op circa 36x220mm	38	225		32	548	182		19						
Gevingerlast KOMO C24, geschaafd op circa 38x235mm	38	235	9		9	57	334	26						
Gevingerlast KOMO C24, geschaafd op circa 36x245mm	38	250		7	24	79		65		162				
Gevingerlast KOMO C24, geschaafd op circa 36x270mm	38	275		372	444	129		298		12				
Gevingerlast KOMO C24, geschaafd op circa 38x285mm	38	285		14	201	116		227		316				
Gevingerlast KOMO C24, geschaafd op circa 44x270 mm	47	275		26	130	68		58		35	39			