



<b>Ruwhout</b>	<b>B</b>	<b>D</b>	<b>300</b>	<b>330</b>	<b>360</b>	<b>390</b>	<b>420</b>	<b>450</b>	<b>480</b>	<b>510</b>	<b>540</b>			
Ruwhout, 022x100, Vuren, C, Ruw	22	100	9926	2173	1114	2763	732	5084	2352	1280				



<b>Geschaafd</b>	<b>B</b>	<b>D</b>	<b>270</b>	<b>300</b>	<b>330</b>	<b>360</b>	<b>390</b>	<b>420</b>	<b>450</b>	<b>480</b>	<b>510</b>	<b>540</b>	<b>570</b>	<b>600</b>
Vuren C 21.5x48 geëgliseerd en gebost	22	50	10				2188				2171		43	
Geschaafd, 022x050, Vuren, Ventilatielat gewolman...	22	50					3032	483	6298	702				
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1342		742			
Vuren C geschaafd circa 30x45mm	32	50		117		334		433		502	536	380		
Vuren ventilatielat 28x45 mm hoh 400mm 7x40 gewo...	32	50								2013				
Vuren C24 geschaafd circa 30x170mm	32	175				12	110	196	174	50	95	6		
Vuren C24 geschaafd circa 30x195mm	32	200				27	196	170	332	258	14	201		
Vuren C24 geschaafd circa 30x220mm	32	225				173	207	4	352	145	8	26		
Vuren C24 geschaafd circa 30x245mm	32	250				233	274	343	309	282				
Vuren C24 geschaafd circa 38x089mm	38	89		80	472	779	637	850	191	444	538	109	240	279
Vuren C24 geschaafd circa 38x120mm	38	120		6	94	234	107	314	376	364	234	514		
Vuren C24 geschaafd circa 38x140mm	38	140	82	167	91	182	182	197	302	605	286	410		
Vuren C24 geschaafd circa 38x170mm	38	170					155	17	142	81				771
Vuren C24 geschaafd circa 36x170mm	38	175				123	84	216	186	153	89	352		
Vuren C24 geschaafd circa 38x184mm	38	184			170	549	243	231	160	130	338	699		
Vuren C24 geschaafd circa 36x195mm	38	200							96	182	189	357		
Vuren C24 geschaafd circa 36x220mm	38	225				141	251	159	243	182	26	70		
Vuren C24 geschaafd circa 38x235mm	38	235		9	128	238	121	45	141	75	903	66	650	220
Vuren C24 geschaafd circa 36x245mm	38	250							61	137	79			
Vuren C24 geschaafd circa 36x270mm	38	275										149		
Vuren 47x125mm C24 geschaafd op 44x120mm hakregel	47	125												
Geschaafd, 075X125, Vuren, C, Ronde Muurplaat	75	125									142			
Geschaafd, 075X150, Vuren, C, Ronde Muurplaat	75	150									62			
Geschaafd, 075X200, Vuren, C, Ronde Muurplaat	75	200									69			

<b>Gevingerlast</b>	<b>B</b>	<b>D</b>	<b>540</b>	<b>570</b>	<b>600</b>	<b>660</b>	<b>700</b>	<b>750</b>	<b>800</b>	<b>900</b>	<b>1000</b>			
Gevingerlast KOMO C24, geschaafd op circa 30x170mm	32	175		16				182		41				
Gevingerlast KOMO C24, geschaafd op circa 30x195mm	32	200		349	154	84		31		9				
Gevingerlast KOMO C24, geschaafd op circa 30x220mm	32	225		241	61	74		56		191	80			
Gevingerlast KOMO C24, geschaafd op circa 30x245mm	32	250			615	344		371			64			
Gevingerlast KOMO C24, geschaafd op circa 30x270mm	32	275		383	416	400		118		291	68			
Gevingerlast KOMO C24, geschaafd op circa 38x170mm	38	170		35		128		112		53				
Gevingerlast KOMO C24, geschaafd op circa 36x170mm	38	175		111	179	2				111				
Gevingerlast KOMO C24, geschaafd op circa 38x184mm	38	184		146	385	214		158		273				
Gevingerlast KOMO C24, geschaafd op circa 36x195mm	38	200		221	197	159		306						
Gevingerlast KOMO C24, geschaafd op circa 36x220mm	38	225		72	228	84		36	179	4				
Gevingerlast KOMO C24, geschaafd op circa 38x235mm	38	235				491	56	180		40				
Gevingerlast KOMO C24, geschaafd op circa 36x245mm	38	250	156	265	222	226		291		312				
Gevingerlast KOMO C24, geschaafd op circa 36x270mm	38	275		114	291	224				198	16			
Gevingerlast KOMO C24, geschaafd op circa 38x285mm	38	285		38	13			11		33				
Gevingerlast KOMO C24, geschaafd op circa 44x270 mm	47	275		44	41	1		33		29	12			