



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38					10510	10874	15400		1787			
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50					832	1291	1031	541				
Vuren C 21.5x48 geëgaliseerd en gebost	22	50					5		978	115	324	1242	23	
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1228		193			
Vuren C geschaafd circa 30x45mm	32	50						323		382	517	12		
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50					849				1175			
Vuren C geschaafd circa 30x58 mm	32	63		111		421		340		59	512			
Vuren C geschaafd circa 30x70mm	32	75						194		204		2		
Vuren KOMO C geschaafd circa 30x120mm	32	125		77	76	375	237		29		3			
Vuren KOMO C geschaafd circa 30x145mm	32	150			50	97	187	181	561	329	227	198		
Vuren C24 geschaafd circa 30x170mm	32	175				59		245	19	71	194	16		
Vuren C24 geschaafd circa 30x195mm	32	200				1	135	9	280	162	61			
Vuren C24 geschaafd circa 30x220mm	32	225				138	180	287	246	67	250	147		
Vuren C24 geschaafd circa 30x245mm	32	250				153	108	304	248	302				
Vuren C24 geschaafd circa 38x089mm	38	89		1	5	69	238	647	370	380	15	261		
Vuren C24 geschaafd circa 38x120mm	38	120			39	222	320	166	159	294	358			
Vuren C24 geschaafd circa 38x140mm	38	140			32	138	135	187		717	71			
Vuren C24 geschaafd circa 38x170mm	38	170				390	62	467		159		564		70
Vuren C24 geschaafd circa 36x170mm	38	175				16	81	190	47	113	32	215		
Vuren C24 geschaafd circa 38x184mm	38	184					47	96	80	25	5	239		
Vuren C24 geschaafd circa 36x195mm	38	200						251	55	163	26			
Vuren C24 geschaafd circa 36x220mm	38	225					57	93	242	177	247	18		
Vuren C24 geschaafd circa 38x235mm	38	235		164	473	864	146	149	288	269	162			38
Vuren C24 geschaafd circa 36x245mm	38	250							23	57	173			
Vuren C24 geschaafd circa 36x270mm	38	275										146		
Vuren C geschaafd circa 44x70mm	47	75	124	434	458	225	170	181	108	538	106	696		50
Vuren C24, geschaafd 44x95mm	47	100		174	121	121	885	84	158		198			
Vuren C24, geschaafd 44x120mm	47	125		1	53	528	140	22	47	126	154	213		
Vuren C geschaafd op 44x120mm hakregel	47	125										59		
Vuren C24, geschaafd 44x145mm	47	150		69	62		121	75	112		50	7		



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x170mm	47	175		67		114	105	72	109	129				
Vuren C24, geschaafd op 44x195mm	47	200		112	57	238		24	84	123	85	7		
Vuren C24, geschaafd op 44x220mm	47	225		5	37	17	135		3		60	212		
Vuren C24, geschaafd op 44x245mm	47	250		35	41	116	69	48	96	73	59			
Vuren C24 geschaafd circa 58x155mm	63	160		50	43		101	40	1	56	108	49		
Vuren C geschaafd circa 70x120mm ronde ...	75	125									211			
Vuren C geschaafd circa 70x145mm ronde ...	75	150									176	68		
Vuren C24 geschaafd circa 70x170mm	75	175		16	2	3		111	36	99	43	4		
Vuren C24 geschaafd circa 70x195mm	75	200		30	1	1	19	33	32	60	87	5		
Vuren C geschaafd circa 70x195mm ronde ...	75	200									172			
Vuren C24 geschaafd circa 70x220mm	75	225		56	43	61	57	56	109	52	55	70	40	34
Vuren C24 geschaafd circa 70x245mm	75	250		28	150	120	118	56	50	7				

Gevingerlast	B	D	540	570	600	660	700	750	800	850	900	1000		
Gevingerlast KOMO C24, geschaafd op cir...	32	175			95	96		71			96			
Gevingerlast KOMO C24, geschaafd op cir...	32	200		336	329	66		3			9			
Gevingerlast KOMO C24, geschaafd op cir...	32	225				44		56			21	80		
Gevingerlast KOMO C24, geschaafd op cir...	32	250		50	364									
Gevingerlast KOMO C24, geschaafd op cir...	32	275				2		7					69	
Gevingerlast KOMO C24, geschaafd op cir...	38	170		25	168	23		168			150			
Gevingerlast KOMO C24, geschaafd op cir...	38	175		115	134	27		31			79			
Gevingerlast KOMO C24, geschaafd op cir...	38	184		5		9					169			
Gevingerlast KOMO C24, geschaafd op cir...	38	200		213	176	143		185			207			
Gevingerlast KOMO C24, geschaafd op cir...	38	225		75	16			18	123		33			
Gevingerlast KOMO C24, geschaafd op cir...	38	235	1278	168	217	136	208	338			448			
Gevingerlast KOMO C24, geschaafd op cir...	38	250	2	270		43		107			155			
Gevingerlast KOMO C24, geschaafd op cir...	38	275		267	274	365		135			162	45		
Gevingerlast KOMO C24, geschaafd op cir...	38	285		338	154	246		212		56	239			
Gevingerlast KOMO C24, geschaafd op cir...	47	275		165	88	150		123			108	66		
Gevingerlast KOMO C24, geschaafd op cir...	63	160		93	18	79		47			76			
Gevingerlast KOMO C24, geschaafd op cir...	75	175		94	72			109			90			
Gevingerlast KOMO C24, geschaafd op cir...	75	200		96		1		24			169			
Gevingerlast KOMO C24, geschaafd op cir...	75	225		65	65	51		2			78			
Gevingerlast KOMO C24, geschaafd op cir...	75	250		12	82	77		62			51			