



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38					10480	10874	15400		1787			
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50					832	881	1031	541				
Vuren C 21.5x48 geëgaliseerd en gebost	22	50		102	2194				834	2061	1393	7235	23	
Vuren C geschaafd circa 30x45mm	32	50						243		348	259	2		
Vuren ventillatielat 28x45 mm hoh 400mm...	32	50					849				1175			
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1228		193			
Vuren C geschaafd circa 30x58 mm	32	63		111		413		292		553	402	703		
Vuren C geschaafd circa 30x70mm	32	75						9		192		341		
Vuren KOMO C geschaafd circa 30x120mm	32	125		74	71	329		127	12	110	1			
Vuren KOMO C geschaafd circa 30x145mm	32	150				11	118	394	540	277	168	648		
Vuren C24 geschaafd circa 30x170mm	32	175				9		218	15	60	137			
Vuren C24 geschaafd circa 30x195mm	32	200					71	5	179	142	46			
Vuren C24 geschaafd circa 30x220mm	32	225				130	172	282	234	62	160			
Vuren C24 geschaafd circa 30x245mm	32	250				124	105	300	239	298				
Vuren C24 geschaafd circa 38x089mm	38	89			155	331	208	604	340	353	2	30		473
Vuren C24 geschaafd circa 38x120mm	38	120			222	196	300	159	157	287	280	1115		188
Vuren C24 geschaafd circa 38x140mm	38	140			28	82	135	185	181	702	234	132		
Vuren C24 geschaafd circa 38x170mm	38	170				355	61	463		142		7		849
Vuren C24 geschaafd circa 36x170mm	38	175				6	81	184	47	113	14	199		
Vuren C24 geschaafd circa 38x184mm	38	184			148		104	172	53	6	145	32		1129
Vuren C24 geschaafd circa 36x195mm	38	200						243	55	163	11	419		
Vuren C24 geschaafd circa 36x220mm	38	225			140	137	10	230	242	177	244			
Vuren C24 geschaafd circa 38x235mm	38	235		164	469	191	107	145	284	142	620	61	58	746
Vuren C24 geschaafd circa 36x245mm	38	250						146	198	249	276	18		
Vuren C24 geschaafd circa 36x270mm	38	275										146		
Vuren C geschaafd circa 44x70mm	47	75	124	205	289	204	168	181	108	400	78	321		34
Vuren C24, geschaafd 44x95mm	47	100				120	880	84	158	440	113	341		
Vuren C24, geschaafd 44x120mm	47	125			47	526	140	14	42	116	153	91		
Vuren C24, geschaafd 44x145mm	47	150				14	121	75	1		7	1		
Vuren C24, geschaafd op 44x170mm	47	175		28		110	105	110	103					



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x195mm	47	200		112	57	238		22	83		15	28		
Vuren C24, geschaafd op 44x220mm	47	225		5	37	67	135		43		60	192		
Vuren C24, geschaafd op 44x245mm	47	250		31	75	116	69	90	89	38	54	310		
Vuren C24 geschaafd circa 58x155mm	63	160		50			100	40	1	51	105			
Vuren C geschaafd circa 70x120mm ronde ...	75	125									211			
Vuren C geschaafd circa 70x145mm ronde ...	75	150									176	68		
Vuren C24 geschaafd circa 70x170mm	75	175		98	2	2		98	24	99	39			
Vuren C24 geschaafd circa 70x195mm	75	200		25	1	1	9		15	58	77			
Vuren C geschaafd circa 70x195mm ronde ...	75	200									172			
Vuren C24 geschaafd circa 70x220mm	75	225		56	43	61	57	27	109	42	40	35	40	34
Vuren C24 geschaafd circa 70x245mm	75	250		27	150	96	104	56	50	7	56	112		

Gevingerlast	B	D	540	570	600	660	700	750	800	850	900	1000		
Gevingerlast KOMO C24, geschaafd op cir...	32	175			74	96		71			49			
Gevingerlast KOMO C24, geschaafd op cir...	32	200		279	259	34		2			5			
Gevingerlast KOMO C24, geschaafd op cir...	32	225				164		216			227	80		
Gevingerlast KOMO C24, geschaafd op cir...	32	250			209									
Gevingerlast KOMO C24, geschaafd op cir...	32	275						3					42	
Gevingerlast KOMO C24, geschaafd op cir...	38	170		25	168	23					85			
Gevingerlast KOMO C24, geschaafd op cir...	38	175		115	132	111		105			65			
Gevingerlast KOMO C24, geschaafd op cir...	38	184	118	5		315		60			118			
Gevingerlast KOMO C24, geschaafd op cir...	38	200		143	85	139		182			207			
Gevingerlast KOMO C24, geschaafd op cir...	38	225		315	296	153		18	67		7			
Gevingerlast KOMO C24, geschaafd op cir...	38	235	757	224		360	432	140			336			
Gevingerlast KOMO C24, geschaafd op cir...	38	250	72	149	280	247		280			97			
Gevingerlast KOMO C24, geschaafd op cir...	38	275		326	261	156		18			42	19		
Gevingerlast KOMO C24, geschaafd op cir...	38	285		226	328	280		110		56	185			
Gevingerlast KOMO C24, geschaafd op cir...	47	275		119	78	147		111			106	66		
Gevingerlast KOMO C24, geschaafd op cir...	63	160		93	18	79		47			26			
Gevingerlast KOMO C24, geschaafd op cir...	75	175		72	218	187		84			90			
Gevingerlast KOMO C24, geschaafd op cir...	75	200		92	55	67		142			158			
Gevingerlast KOMO C24, geschaafd op cir...	75	225		84		115		107			70			
Gevingerlast KOMO C24, geschaafd op cir...	75	250		7	82	77		58			20			