



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38					10480	10874	15400		1787			
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50					832	881	1031					
Vuren C 21.5x48 geëgaliseerd en gebost	22	50		992	4967	4091	539		337	170	1785	5741	23	
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50					849				1175			
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1228		193			
Vuren C geschaafd circa 30x45mm	32	50						176		334	2	810		
Vuren C geschaafd circa 30x58 mm	32	63		71		413		151		221	36	10		
Vuren C geschaafd circa 30x70mm	32	75				6		466		146	331	980		
Vuren KOMO C geschaafd circa 30x120mm	32	125		127	116	567	475	383	314	94				
Vuren KOMO C geschaafd circa 30x145mm	32	150	13	70	53	271	86	388	528	209	141	908		
Vuren C24 geschaafd circa 30x170mm	32	175						180	1	3				
Vuren C24 geschaafd circa 30x195mm	32	200					3		151	83				
Vuren C24 geschaafd circa 30x220mm	32	225				81	168	269	233	52	13	137		
Vuren C24 geschaafd circa 30x245mm	32	250				40	105	276	237	143				
Vuren C24 geschaafd circa 38x089mm	38	89		268	169	324	158	564	320	218	220	9		
Vuren C24 geschaafd circa 38x120mm	38	120			175	188	229	65	123	272		75		16
Vuren C24 geschaafd circa 38x140mm	38	140			18	144	132	174	169	499	179			
Vuren C24 geschaafd circa 38x170mm	38	170				317	61	376		104				501
Vuren C24 geschaafd circa 36x170mm	38	175					11	182	3	87		128		
Vuren C24 geschaafd circa 38x184mm	38	184		142	77	77	78	81	82	84	199	345		1111
Vuren C24 geschaafd circa 36x195mm	38	200						185	55	154	3	408		
Vuren C24 geschaafd circa 36x220mm	38	225				3	9	230	242	766	543	213		
Vuren C24 geschaafd circa 38x235mm	38	235		160	465	189	103	145	194	60	441	110	8	147
Vuren C24 geschaafd circa 36x245mm	38	250						42	117	222	144	13		
Vuren C24 geschaafd circa 36x270mm	38	275										90		
Vuren C geschaafd circa 44x70mm	47	75	284	169	450	189	149	49	259	304	222	265		27
Vuren C24, geschaafd 44x95mm	47	100		68	82	120	876	56	156	290	14	134		
Vuren C24, geschaafd 44x120mm	47	125		95	35	522	137	113	135	100	49			
Vuren C geschaafd op 44x120mm hakregel	47	125										5		
Vuren C24, geschaafd 44x145mm	47	150		29	42	21	17	151	78	137	150	147		



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x170mm	47	175		11	32	93	105	110	92	62	146			
Vuren C24, geschaafd op 44x195mm	47	200		112	56	232	55	89	83	55	125	78		
Vuren C24, geschaafd op 44x220mm	47	225		4	7	67	64	40	43	35	60	192		
Vuren C24, geschaafd op 44x245mm	47	250				54	69	73	84	38	83	60		
Vuren C24 geschaafd circa 58x155mm	63	160		50	149	56	82	34	47	44	98	179		
Vuren C geschaafd circa 70x120mm ronde ...	75	125									147			
Vuren C geschaafd circa 70x145mm ronde ...	75	150									126	68		
Vuren C24 geschaafd circa 70x170mm	75	175		87	43	39	22	80	60	82	103	155		
Vuren C24 geschaafd circa 70x195mm	75	200		20	23	52	8	28	46		178	214		
Vuren C geschaafd circa 70x195mm ronde ...	75	200									137			
Vuren C24 geschaafd circa 70x220mm	75	225		53	43	30	57	44	91	32	75	70	24	
Vuren C24 geschaafd circa 70x245mm	75	250		25	146	91	98	56	50	7	56			

Gevingerlast	B	D	540	570	600	660	700	750	800	850	900	1000		
Gevingerlast KOMO C24, geschaafd op cir...	32	175				2		21			32			
Gevingerlast KOMO C24, geschaafd op cir...	32	200		230	209	3		1			1			
Gevingerlast KOMO C24, geschaafd op cir...	32	225			122	157		35					80	
Gevingerlast KOMO C24, geschaafd op cir...	32	250			4	109		179						
Gevingerlast KOMO C24, geschaafd op cir...	32	275		65	227	264		61			283			
Gevingerlast KOMO C24, geschaafd op cir...	38	170		12	84	23								
Gevingerlast KOMO C24, geschaafd op cir...	38	175		115	124	73		78			84			
Gevingerlast KOMO C24, geschaafd op cir...	38	184	118	5				38			113			
Gevingerlast KOMO C24, geschaafd op cir...	38	200		143	151	120		181						
Gevingerlast KOMO C24, geschaafd op cir...	38	225		315	84	291		42	67		53			
Gevingerlast KOMO C24, geschaafd op cir...	38	235	265	47		119	320	233			133			
Gevingerlast KOMO C24, geschaafd op cir...	38	250	8	26	19			41			33			
Gevingerlast KOMO C24, geschaafd op cir...	38	275		301	187	237		224			321	5		
Gevingerlast KOMO C24, geschaafd op cir...	38	285	71	113	328	301		341		56	118			
Gevingerlast KOMO C24, geschaafd op cir...	47	275		8	47	130		81			74	62		
Gevingerlast KOMO C24, geschaafd op cir...	63	160		89	18	79		47			26			
Gevingerlast KOMO C24, geschaafd op cir...	75	175		69	296	290								
Gevingerlast KOMO C24, geschaafd op cir...	75	200		86	49	67		104			155			
Gevingerlast KOMO C24, geschaafd op cir...	75	225				104		72			42			
Gevingerlast KOMO C24, geschaafd op cir...	75	250		5	36	77		38						