



Geschaafd	B	D	114	255	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38							8160	1400	7000		420			
Vuren C 21.5x48 geëgaliseerd en gebost	22	50		9820	3285	409	480	4244	2963		883	4545	1	2307		
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50								735	1400					
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50									1517	264	91			
Vuren C geschaafd circa 30x45mm	32	50				661		477		485		410	1363	2657		
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50							482	433			42			
Vuren C geschaafd circa 30x58 mm	32	63				99		58		10		542	356	1152		
Vuren C geschaafd circa 30x70mm	32	75						108	23	382		578	954	1523		
Vuren KOMO C geschaafd circa 30x120mm	32	125				2	28	403	338	95	400	120		1		
Vuren KOMO C geschaafd circa 30x145mm	32	150				28	268	210	315	2	402	375	399	516		
Vuren C24 geschaafd circa 30x170mm	32	175				2			7	298	349	52				
Vuren C24 geschaafd circa 30x195mm	32	200								35	46	123	1			
Vuren C24 geschaafd circa 30x245mm	32	250						95	200	155	190	152	304	674		
Vuren C24 geschaafd circa 38x089mm	38	89				250	703	2306	919	1919	911	628	263	468		4779
Vuren C24 geschaafd circa 38x120mm	38	120							204	325	63	92	24			
Vuren C24 geschaafd circa 38x140mm	38	140				297	71	165	147	228	148	25			1	
Vuren C24 geschaafd circa 38x170mm	38	170					39	174	78	100		534		29	238	1004
Vuren C24 geschaafd circa 36x170mm	38	175						22	207	46	75	12	100	20		
Vuren C24 geschaafd circa 38x184mm	38	184				230	4		27	320	11	386	353	139	67	1192
Vuren C24 geschaafd circa 36x195mm	38	200						106	92	243	223	289	302	325		
Vuren C24 geschaafd circa 36x220mm	38	225								88	77	420	55			
Vuren C24 geschaafd circa 38x235mm	38	235				19					12	71			7	12
Vuren C24 geschaafd circa 36x245mm	38	250							28	326		101	336		14	44
Vuren C geschaafd circa 44x70mm	47	75			254	733	261	303	208	597	274	373	467	1673		
Vuren C24, geschaafd 44x95mm	47	100				34	175	368	741	147	80	52	124	136		
Vuren C geschaafd op 44x120mm hakregel	47	125											284			
Vuren C24, geschaafd 44x120mm	47	125				93	182	23	27	91	91	29	225	127		
Vuren C24, geschaafd 44x145mm	47	150				130	126	61	181	43	241	91				
Vuren C24, geschaafd op 44x170mm	47	175							8	48	66	16	2	131		
Vuren C24, geschaafd op 44x195mm	47	200				4	52	158	54	109	99	117	111	86		



Geschaafd	B	D	114	255	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x220mm	47	225					11	56	62	52	44	49	73	104		
Vuren C24, geschaafd op 44x245mm	47	250				35		66	76	77	43	163	41	137		
Vuren C24 geschaafd circa 58x155mm	63	160				187		37	74	36	85		267	137		
Vuren C geschaafd circa 70x120mm ronde ...	75	125												6		
Vuren C geschaafd circa 70x145mm ronde ...	75	150											188	53		
Vuren C24 geschaafd circa 70x170mm	75	175				52	7	68				59	40	36		
Vuren C24 geschaafd circa 70x195mm	75	200				94		27	51	47	42	11		19		
Vuren C geschaafd circa 70x195mm ronde ...	75	200											155			
Vuren C24 geschaafd circa 70x220mm	75	225				57	67	44	57	69	35	87	98	146		
Vuren C24 geschaafd circa 70x245mm	75	250				13	40	87	62	54	48	1				



Gevingerlast	B	D	540	570	600	660	750	900	1000					
Gevingerlast KOMO C24, geschaafd op cir...	32	175				6	43	146						
Gevingerlast KOMO C24, geschaafd op cir...	32	200		47	158	78	125	95						
Gevingerlast KOMO C24, geschaafd op cir...	32	225		242		222	393	9						
Gevingerlast KOMO C24, geschaafd op cir...	32	250		244	196	34	260	472	60					
Gevingerlast KOMO C24, geschaafd op cir...	32	275		428	390	173	262	64	256					
Gevingerlast KOMO C24, geschaafd op cir...	38	170				274	150	178						
Gevingerlast KOMO C24, geschaafd op cir...	38	175		84	141	151	3	1						
Gevingerlast KOMO C24, geschaafd op cir...	38	184				230	340	316						
Gevingerlast KOMO C24, geschaafd op cir...	38	200		178	169	132	119	100						
Gevingerlast KOMO C24, geschaafd op cir...	38	225					2	161						
Gevingerlast KOMO C24, geschaafd op cir...	38	235		10	2	144	430	495						
Gevingerlast KOMO C24, geschaafd op cir...	38	250			276	437	70	58						
Gevingerlast KOMO C24, geschaafd op cir...	38	275		229	326	343	378	537	183					
Gevingerlast KOMO C24, geschaafd op cir...	38	285	1		44	191	399	449						
Gevingerlast KOMO C24, geschaafd op cir...	47	275		130	167	75	83	85	46					
Gevingerlast KOMO C24, geschaafd op cir...	63	160		60	42	64	21	1						
Gevingerlast KOMO C24, geschaafd op cir...	75	175		93	151	69	62	87						
Gevingerlast KOMO C24, geschaafd op cir...	75	200		77	4	93	105	99						
Gevingerlast KOMO C24, geschaafd op cir...	75	225		68	47	140	168	57						
Gevingerlast KOMO C24, geschaafd op cir...	75	250		83	62	20	44	51						