

Geschaafd	B	D	114	123	255	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38								5190				410			
Vuren C 21.5x48 geëgliseerd en gebost	22	50			1910	5204	10927	846	1209	2521	1707	8013	4783	3521	6656		
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50									185	5232					
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50										1080					
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50										763		16			
Vuren C geschaafd circa 30x45mm	32	50					596		280		81		228	1331	2123		
Vuren C geschaafd circa 30x58 mm	32	63					57		637		365		12	1803	1474		
Vuren C geschaafd circa 30x70mm	32	75							374	23	615		113	1563	766		
Vuren KOMO C geschaafd circa 30x120mm	32	125						143	388	73	498	149	425	447	365		
Vuren KOMO C geschaafd circa 30x145mm	32	150						16		224	128	335	47	842	204		
Vuren C24 geschaafd circa 30x170mm	32	175						176		72	104	265	169	11	208		
Vuren C24 geschaafd circa 30x195mm	32	200									283	7	66	10	127		
Vuren C24 geschaafd circa 30x220mm	32	225							39	293	255	275	161	150	222		
Vuren C24 geschaafd circa 30x245mm	32	250							5	56	15	347					
Geschaafd 32x275 op 30x270 C24 LT	32	275													1		140
Vuren C24 geschaafd circa 38x089mm	38	89	2196	555			122	425	403	534	1073	146	587	599	697	195	3825
Vuren C24 geschaafd circa 38x120mm	38	120					59	335	264	243	468	205	226	42	106		
Vuren C24 geschaafd circa 38x140mm	38	140						108		94	362	417	139	87	203		
Vuren C24 geschaafd circa 38x170mm	38	170						18	170	27	252		510		506	28	96
Vuren C24 geschaafd circa 36x170mm	38	175							17	191	10	11	8	1	4		
Vuren C24 geschaafd circa 38x184mm	38	184					97	1	1	109	147	272	136	300	163		816
Vuren C24 geschaafd circa 36x195mm	38	200							66	91	240	193	289	292	235		
Vuren C24 geschaafd circa 36x220mm	38	225						71	132	66	140	58	291	147			
Vuren C24 geschaafd circa 38x235mm	38	235					195	331	85	191	44	348	672	626	1019	161	627
Vuren C24 geschaafd circa 36x245mm	38	250									122	28	26	23		12	11
Vuren C24 geschaafd circa 36x270mm	38	275													244		440
Vuren C geschaafd circa 44x70mm	47	75				173	484	488	676	331	361	165	299		2339		
Vuren C24, geschaafd 44x95mm	47	100					69		344	562	207	115	97	133	99		
Vuren C geschaafd op 44x120mm hakregel	47	125												129			
Vuren C24, geschaafd 44x120mm	47	125					51	100	112	61	182	71	122	188	60		

Geschaafd	B	D	114	123	255	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd 44x145mm	47	150					121	99	170	181	85	77		42			
Vuren C24, geschaafd op 44x170mm	47	175						66	66	5	66		45		66		
Vuren C24, geschaafd op 44x195mm	47	200					1	49	156	46	55	23	55	85	62		
Vuren C24, geschaafd op 44x220mm	47	225							201	61	233	148	155	234	306		
Vuren C24, geschaafd op 44x245mm	47	250					16		38	21	59	39	156	67	11		
Vuren C24 geschaafd circa 58x155mm	63	160					184		77	73	76	56	27	238	71		
Vuren C geschaafd circa 70x120mm ronde ...	75	125												248	39		
Vuren C geschaafd circa 70x145mm ronde ...	75	150												226			
Vuren C24 geschaafd circa 70x170mm	75	175					20	83	39	102	87	136	236	90	87		
Vuren C24 geschaafd circa 70x195mm	75	200					61	48	67	49	68	165	46	324			
Vuren C geschaafd circa 70x195mm ronde ...	75	200												143			
Vuren C24 geschaafd circa 70x220mm	75	225					42	79	37	82	69	19	29	25			
Vuren C24 geschaafd circa 70x245mm	75	250					28	37	111	95	278	146	55	38	133		

Gevingerlast	B	D	540	570	600	660	750	900	1000					
Gevingerlast KOMO C24, geschaafd op cir...	32	175		288	213	192	215	340						
Gevingerlast KOMO C24, geschaafd op cir...	32	200		80	84	75	94							
Gevingerlast KOMO C24, geschaafd op cir...	32	225		92	216	282	273	248						
Gevingerlast KOMO C24, geschaafd op cir...	32	250		444	483	121	13	137	58					
Gevingerlast KOMO C24, geschaafd op cir...	32	275		12	1	32		380	300					
Gevingerlast KOMO C24, geschaafd op cir...	38	170				186	9	34						
Gevingerlast KOMO C24, geschaafd op cir...	38	175			85	53	35	1						
Gevingerlast KOMO C24, geschaafd op cir...	38	184				78	50	87						
Gevingerlast KOMO C24, geschaafd op cir...	38	200		109	190	142	128	225						
Gevingerlast KOMO C24, geschaafd op cir...	38	225		131		247	38	200						
Gevingerlast KOMO C24, geschaafd op cir...	38	235		399		540	331	419						
Gevingerlast KOMO C24, geschaafd op cir...	38	250						2						
Gevingerlast KOMO C24, geschaafd op cir...	38	275		239	349	234	104	139	61					
Gevingerlast KOMO C24, geschaafd op cir...	38	285	1	213	56	159	116	376						
Vuren C24, KOMO gevingerlast op circa ...	47	225		71	45	30	53	57						
Vuren C24, KOMO gevingerlast op circa ...	47	250		214	145	90	45	215						
Gevingerlast KOMO C24, geschaafd op cir...	47	275			25	18	61	54	48					
Gevingerlast KOMO C24, geschaafd op cir...	63	160		60	29	64	10	1						
Gevingerlast KOMO C24, geschaafd op cir...	75	175		154	107	91	14	69						
Gevingerlast KOMO C24, geschaafd op cir...	75	200		70	42	86	48	96						
Gevingerlast KOMO C24, geschaafd op cir...	75	225		32		55	147	54						
Gevingerlast KOMO C24, geschaafd op cir...	75	250		51		89	101	12						