

Geschaafd	B	D	114	255	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38							2330				410			
Vuren C 21.5x48 geëgaliseerd en gebost	22	50			1914	10227	16	19	901	1263	6675	3893	1	5		
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50								185	2502					
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50									1080					
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50									763		16			
Vuren C geschaafd circa 30x45mm	32	50				581		220		81		172	1331	1752		
Vuren C geschaafd circa 30x58 mm	32	63				13		469		311		12	1373	156		
Vuren C geschaafd circa 30x70mm	32	75						322	23	489		105	1563	99		
Vuren KOMO C geschaafd circa 30x120mm	32	125					127	367	61	370	129	397	435	342		
Vuren KOMO C geschaafd circa 30x145mm	32	150					2		202	94	307	31	823	447		
Vuren C24 geschaafd circa 30x170mm	32	175					125		20	103	252	161	295	184		
Vuren C24 geschaafd circa 30x195mm	32	200								199	6	50	2			
Vuren C24 geschaafd circa 30x220mm	32	225						160	290	247	268	152	309	373		
Vuren C24 geschaafd circa 30x245mm	32	250						1		82	263		1	91		
Geschaafd 32x275 op 30x270 C24 LT	32	275												316		13
Vuren C24 geschaafd circa 38x089mm	38	89				105	371	209	464	1051	116	567	232	293	150	3057
Vuren C24 geschaafd circa 38x120mm	38	120				2	324	262	138	464	187	326	2	1163		
Vuren C24 geschaafd circa 38x140mm	38	140				500	99		174	253	413	181				351
Vuren C24 geschaafd circa 38x170mm	38	170					3	148	6	252		393		1560	3	
Vuren C24 geschaafd circa 36x170mm	38	175						15	185	5	11	2	1	4		
Vuren C24 geschaafd circa 38x184mm	38	184				79	1	1	18	108	235	137	133	185		492
Vuren C24 geschaafd circa 36x195mm	38	200						65	77	230	193	289	292	201		
Vuren C24 geschaafd circa 36x220mm	38	225					69	132	192	140	208	291	112	554		548
Vuren C24 geschaafd circa 38x235mm	38	235				181	332	235	552	86	242	355	372	9		21
Vuren C24 geschaafd circa 36x245mm	38	250							100	85	130	26	135		12	11
Vuren C24 geschaafd circa 36x270mm	38	275												132		440
Vuren C geschaafd circa 44x70mm	47	75			138	475	368	648	297	359	325	194	2041	1561		
Vuren C24, geschaafd 44x95mm	47	100					76	285	492	205	87		101	278		
Vuren C geschaafd op 44x120mm hakregel	47	125											16			
Vuren C24, geschaafd 44x120mm	47	125				205	182	99	61	182	59	94	178	68		

Geschaafd	B	D	114	255	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd 44x145mm	47	150				64	74	116	163	10	225	210	14			
Vuren C24, geschaafd op 44x170mm	47	175					66	66	71	330	322	294	225	198		
Vuren C24, geschaafd op 44x195mm	47	200					64		25	43	114	55	5	111		
Vuren C24, geschaafd op 44x220mm	47	225						201	61	233	144	155	228	287		
Vuren C24, geschaafd op 44x245mm	47	250				15	44	61	13	59	35	149	41	11		
Vuren C24 geschaafd circa 58x155mm	63	160				133		77	73	71	56	61	238	61		
Vuren C geschaafd circa 70x120mm ronde ...	75	125											120	35		
Vuren C geschaafd circa 70x145mm ronde ...	75	150											176			
Vuren C24 geschaafd circa 70x170mm	75	175				30	39	48	59	27	122	223		47		
Vuren C24 geschaafd circa 70x195mm	75	200					28	45	3	1	161	37	319	19		
Vuren C geschaafd circa 70x195mm ronde ...	75	200											92			
Vuren C24 geschaafd circa 70x220mm	75	225				32	58	24	80	65	75	4				
Vuren C24 geschaafd circa 70x245mm	75	250				54	65	106	89	278	138	48		69		

Gevingerlast	B	D	540	570	600	660	750	900	1000					
Gevingerlast KOMO C24, geschaafd op cir...	32	175		248	204	132	207	339						
Gevingerlast KOMO C24, geschaafd op cir...	32	200		58	80	14	62							
Gevingerlast KOMO C24, geschaafd op cir...	32	225		92	55	282	273	68						
Gevingerlast KOMO C24, geschaafd op cir...	32	250		358	220	60		24						
Gevingerlast KOMO C24, geschaafd op cir...	32	275			151	435	11	273	39					
Gevingerlast KOMO C24, geschaafd op cir...	38	170		154	13	171	157	68						
Gevingerlast KOMO C24, geschaafd op cir...	38	175			46	24		1						
Gevingerlast KOMO C24, geschaafd op cir...	38	184				67	38	87						
Gevingerlast KOMO C24, geschaafd op cir...	38	200		109	190	137	58							
Gevingerlast KOMO C24, geschaafd op cir...	38	225		131	70	247		200						
Gevingerlast KOMO C24, geschaafd op cir...	38	235		20	13	379	307	57						
Gevingerlast KOMO C24, geschaafd op cir...	38	250		135	38	208	84	385						
Gevingerlast KOMO C24, geschaafd op cir...	38	275		511	90	327	235	248	201					
Gevingerlast KOMO C24, geschaafd op cir...	38	285	1	135	272	134	366	310						
Vuren C24, KOMO gevingerlast op circa ...	47	225		71	45	30	53	57						
Vuren C24, KOMO gevingerlast op circa ...	47	250		161	101	90	41	212						
Gevingerlast KOMO C24, geschaafd op cir...	47	275		64	109	89	11	45	48					
Gevingerlast KOMO C24, geschaafd op cir...	63	160		57	29	64		1						
Gevingerlast KOMO C24, geschaafd op cir...	75	175		127	105	61	6	67						
Gevingerlast KOMO C24, geschaafd op cir...	75	200		66	5	32	38	85						
Gevingerlast KOMO C24, geschaafd op cir...	75	225				45	136	54						
Gevingerlast KOMO C24, geschaafd op cir...	75	250		68		62	78	34						