

Geschaafd	B	D	244	255	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38									2135					
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50									4004					
Vuren C 21.5x48 geëgliseerd en gebost	22	50	2200	210	1709	1517	2986		1930			2150	4344	5560		
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50									1349		396			
Vuren C geschaafd circa 30x45mm	32	50				538		617		596		852	50	446		
Vuren C geschaafd circa 30x58 mm	32	63				611		348		600		86	428	671		
Vuren C geschaafd circa 30x70mm	32	75						68		226		219	1201	190		
Vuren KOMO C geschaafd circa 30x120mm	32	125				444		108		487		280	189	42		
Vuren KOMO C geschaafd circa 30x145mm	32	150						121			226					
Vuren C24 geschaafd circa 30x170mm	32	175					57	44		13		288	193	30		
Vuren C24 geschaafd circa 30x195mm	32	200							230	133	79	198		5		
Vuren C24 geschaafd circa 30x220mm	32	225						225	240	252	160	4				
Vuren C24 geschaafd circa 30x245mm	32	250						42	128	160	264		396	646		
Geschaafd 32x275 op 30x270 C24 LT	32	275										16		54		
Vuren C24 geschaafd circa 38x089mm	38	89				419	319	245	418	826	336	591		2872		6120
Vuren C24 geschaafd circa 38x120mm	38	120				234	224	39	218		234	449	47	569		3668
Vuren C24 geschaafd circa 38x140mm	38	140				672		7	121	97	301	65		1313		276
Vuren C24 geschaafd circa 38x170mm	38	170								2		131		228		533
Vuren C24 geschaafd circa 36x170mm	38	175							143	117	174	127	75	139		
Vuren C24 geschaafd circa 38x184mm	38	184				134		111	283	70	99	293	172	2	3	
Vuren C24 geschaafd circa 36x195mm	38	200								96	140	307	279	172		
Vuren C24 geschaafd circa 36x220mm	38	225					282		56	15	131	125	158	1		
Vuren C24 geschaafd circa 38x235mm	38	235					209	2	374	107	276	418	687	24	560	140
Vuren C24 geschaafd circa 36x245mm	38	250						42	120	151	56	259	630	159		
Vuren C24 geschaafd circa 36x270mm	38	275										40				
Vuren C geschaafd circa 44x70mm	47	75				714	1099	245	663	894	333	315	613	1635		
Vuren C24, geschaafd 44x95mm	47	100						162	360	101	218	237	197	112		
Vuren C24, geschaafd 44x120mm	47	125				416	108	28	59	120		78				
Vuren C geschaafd op 44x120mm hakregel	47	125											80			
Vuren C24, geschaafd 44x145mm	47	150				154		175	154	126	168	174	119	365		

Geschaafd	B	D	244	255	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x170mm	47	175					147	68	56	198	282	142	98	21		
Vuren C24, geschaafd op 44x195mm	47	200					37	83	73	151	105	144	149	110		
Vuren C24, geschaafd op 44x220mm	47	225				27				90	86	194	140	228		
Vuren C24, geschaafd op 44x245mm	47	250					39	2		2	111	3	90	25		
Vuren C24 geschaafd circa 58x155mm	63	160				117		161		131		149	265	264		
Vuren C geschaafd circa 70x120mm ronde ...	75	125											31	35		
Vuren C geschaafd circa 70x145mm ronde ...	75	150											53			
Vuren C24 geschaafd circa 70x170mm	75	175				88	118	392	141	112	108	28	1	220		
Vuren C24 geschaafd circa 70x195mm	75	200					35	92		97	2		46	33		
Vuren C geschaafd circa 70x195mm ronde ...	75	200											52			
Vuren C24 geschaafd circa 70x220mm	75	225				12		60	50	217	89	162	122	140		
Vuren C24 geschaafd circa 70x245mm	75	250					28			165	31	49		3		

Gevingerlast	B	D	570	600	660	750	900	1000						
Gevingerlast KOMO C24, geschaafd op cir...	32	175	63	2	117	7	190							
Gevingerlast KOMO C24, geschaafd op cir...	32	200			51	106	118							
Gevingerlast KOMO C24, geschaafd op cir...	32	225	315	320	112	280	299							
Gevingerlast KOMO C24, geschaafd op cir...	32	250	129	273	375	217	238	55						
Gevingerlast KOMO C24, geschaafd op cir...	32	275	281			2	40	271						
Gevingerlast KOMO C24, geschaafd op cir...	38	170					41							
Gevingerlast KOMO C24, geschaafd op cir...	38	175	130	54	85	126	62							
Gevingerlast KOMO C24, geschaafd op cir...	38	184			2	226	176							
Gevingerlast KOMO C24, geschaafd op cir...	38	200	159	114	93	144								
Gevingerlast KOMO C24, geschaafd op cir...	38	225	59		118	144	415							
Gevingerlast KOMO C24, geschaafd op cir...	38	235	171		220		278	28						
Gevingerlast KOMO C24, geschaafd op cir...	38	250	464	453	348	442	449	66						
Gevingerlast KOMO C24, geschaafd op cir...	38	275	206	404	380	293	299	107						
Gevingerlast KOMO C24, geschaafd op cir...	38	285	214	81	54	337	207							
Vuren C24, KOMO gevingerlast op circa ...	47	225	108	47	171	87	55							
Vuren C24, KOMO gevingerlast op circa ...	47	250	121	44	160	129	140							
Gevingerlast KOMO C24, geschaafd op cir...	47	275	72	156	105	58	90	59						
Gevingerlast KOMO C24, geschaafd op cir...	63	160	90	112	114	56	56							
Gevingerlast KOMO C24, geschaafd op cir...	75	175	80	107	65	69	74							
Gevingerlast KOMO C24, geschaafd op cir...	75	200	22	1	49	32	62							
Gevingerlast KOMO C24, geschaafd op cir...	75	225	94	122		110	101							
Gevingerlast KOMO C24, geschaafd op cir...	75	250		63	84	39	84							